



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3280$ ($dx=-0.0003$) $y=0.3497$ ($dy=0.0123$)
 Chromaticity Coordinate: $u'=0.2006$ $v'=0.4812$ ($duv=6.33e-03$)
 Tc=5690K Dominant WL:Ld=534.0nm Purity=3.6% Centroid WL:546.0nm
 Ratio:R=15.5% G=79.9% B=4.6% Peak WL:Lp=450.0nm HWL:20.4nm
 Render Index:Ra=83.1
 R1 =81 R2 =87 R3 =93 R4 =83 R5 =82 R6 =83 R7 =88
 R8 =68 R9 =3 R10=71 R11=83 R12=60 R13=82 R14=96 R15=75

Photo Parameters:

Flux: 5172.5 lm Fe: 16.106 W Efficacy:143.7 lm/W
 WHITE:ANSI_5700K

Electrical Parameters:

Lamp : U=223.1V I=0.1660A P=36.00W PF=0.9730

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] $I_p=43412$ ($G=4, D=56$)
 REF=9940 (R=3) $\% = 0.517\%$ PMT: 27.1 centigrade [26.8]

Product Type:110	Manufacturer:EVERFINE
Number:N-00009	Test Department:EVERFINE
Temperature:25.3 deg	Humidity:65.0%
Test Operator:DAMIN	Test Date:2018-04-27 17:07:27
Software:V2.00.128	Instrument:PMS-80_V1 (SN:G107113CJ6321117)